



Board of Adjustment Case Report

City of Raleigh
Department of City Planning
One Exchange Plaza
Raleigh, NC 27601
(919) 996-2626
www.raleighnc.gov

Case File: A-14-17

Property Address: 532 E. Lenoir Street

Property Owner: William B. Mebane

Project Contact: Jason Queen

Nature of Case: A request for a .9 foot side yard setback variance and a .9 foot sum of side setbacks variance from Section 2.2.1. to construct a detached house that results in a 4.1 foot side yard setback and a 9.1 foot sum of side yard setbacks on a .10 acre property zoned Residential-10 and located at 532 E. Lenoir Street.




532 E. Lenoir Street – Location Map

To BOA: 1-9-17

Staff Coordinator: Eric S. Hodge, AICP

**ZONING
DISTRICTS:** Residential-10



532 E. Lenoir Street – Zoning Map

VARIANCE STANDARDS: In accordance with UDO [§10.2.10 Variance](#), before a variance request is granted, the Board of Adjustment shall show all of the following:

1. Unnecessary hardship would result from the strict application of the ordinance. It shall not be necessary to demonstrate that, in the absence of the variance, no reasonable use can be made of the property.
2. The hardship results from conditions that are peculiar to the property, such as location, size or topography. Hardships resulting from personal circumstances, as well as hardships resulting from conditions that are common to the neighborhood or the general public, may not be the basis for granting a variance.
3. The hardship did not result from actions taken by the applicant or the property owner. The act of purchasing property with knowledge that

circumstances exist that may justify the granting of a variance shall not be regarded as a self-created hardship.

4. The requested variance is consistent with the spirit, purpose and intent of the ordinance, such that public safety is secured and substantial justice is achieved.

Zoning District Standards: The subject property is zoned Residential-10

Lot Dimensions

Area (min)	4,000 SF
Width – interior lot (min)	45
Width – corner lot (min)	60'
Depth -	60'

Yard Type

Minimum Setback

Primary Street	10'
Side Street	10'
Side	5'
Sum of Sides	10'
Rear	20'